

Department of Applied Mathematics  
PROBABILITY AND STATISTICS PRELIMINARY EXAMINATION  
January 2020

Instructions:

Do two of three problems in each section (Prob and Stat).  
Place an **X** on the lines next to the problem numbers  
that you are **NOT** submitting for grading.

Prob  
1. \_\_\_\_  
2. \_\_\_\_  
3. \_\_\_\_

Do not write your name anywhere on this exam.

Stat

- (b) What's the probability that after a very long time the machine is working? Explain!
  - (c) If the machine is currently working, what's the probability it continues doing so without interruptions during the next  $t$  units of time? Explain!
  - (d) If the machine is currently working, what's the probability that it is working  $t$  units of time later? Justify!
- 

### Problem 3.

Let  $r_0, r_1, r_2, \dots$  be real numbers such that  $r_i > 0$ , and  $\sum_{i=0}^{\infty} r_i = 1$ .

Consider a discrete-time homogeneous Markov chain  $X = (X_n$

(d) It is well known that  $Y_1$ , as the minimum of  $n$  exponentials with rate  $\lambda$ , has again an exponential distribution but with rate  $n\lambda$ . One can show that  $Y_2$  has the same distribution as  $E_1 + E_2$ , where  $E_1$  and  $E_2$  are independent with  $E_1 \sim \exp(\text{rate} = n\lambda)$  and  $E_2 \sim \exp(\text{rate} = (n-1)\lambda)$ .

(b) Suppose that  $X_1, X_2, \dots, X_n$  is a random sample from the distribution with pdf

$$f(x; \theta) = x^{-1} I_{(0,1)}(x).$$

Use part (a) to derive an approximate 100(1 -