

REFERENCES

[1] ...

[2] ...

[3] ...

[4] ...

[5] ...

[6] ...

[7] ...

[8] ...

[9] ...

[10] ...

[11] ...

[12] ...

[13] ...

[14] ...

[15] ...

[16] ...

[17] ...

[18] ...

[19] ...

[20] ...

[21] ...

[22] ...

[23] ...

[24] ...

[25] ...

[26] ...

[27] ...

[28] ...

[29] ...

[30] ...

[31] ...

[32] ...

[33] ...

[34] ...

[35] ...

[36] ...

[37] ...

[38] ...

[39] ...

[40] ...

[41] ...

[42] ...

[43] ...

[44] ...

[45] ...

[46] ...

[47] ...

[48] ...

[49] ...

[50] ...

[51] ...

[52] ...

[53] ...

[54] ...

[55] ...

[56] ...

[57] ...

[58] ...

[59] ...

[60] ...

[61] ...

[62] ...

[63] ...

[64] ...

[65] ...

[66] ...

[67] ...

[68] ...

[69] ...

[70] ...

[71] ...

[72] ...

[73] ...

[74] ...

[75] ...

[76] ...

[77] ...

[78] ...

[79] ...

[80] ...

[81] ...

[82] ...

[83] ...

[84] ...

[85] ...

[86] ...

[87] ...

[88] ...

[89] ...

[90] ...

[91] ...

[92] ...

[93] ...

[94] ...

[95] ...

[96] ...

[97] ...

[98] ...


[99] ...

[100] ...

I. INTRODUCTION

where $\varphi(x)$ is the scaling function which appears in the construc-


By direct examination of (2.7) and (2.10), we find that both Φ and Ψ are supported within the interval $[-L + 1, L - 1]$.



In this case, (2.18) reduces to

M

auto-correlation functions in (2.1) and (2.8). Note that the derivative of the function $f(x)$ in (2.19) is computed via



IV. ON RECONSTRUCTING SIGNALS FROM ZERO-CROSSINGS

It follows from Proposition 1, that any zero-crossing coordinate

